



Touch Screen Multipara Patient Mnitor Model: GPM1015

Introduction:

- 12.1" TFT LCD, Suitable for Bedside, Operation room, ICU, etc.
- Support various Modules Including 3/5/12 Leads ECG, RESP.
- SPO2, NIBP, IBP, CO2, AG etc.
- Multi-Display Large Font, Standard, Full Leads, Trend, oxyCRG
- 720h Monitoring Data Storage.
- Built-in detachable rechargeable lithium Battery (about 4h)
- Support Multi-language, Central Monitoring System



Specification:

ECG

Lead Mode: I, II, III, AVR, AVL, AVF, V

Gain X 0.25, X 0.5, X1, X2.

Heart Rate: 15-300BPM(Adult) 15-350BPM(Neonatal)

Resolution: 1 BPM Accuracy: ±1%.
ST measurement Range: -2.0 +2.0mV

Pacemaker: Yes

Sweep Speed: 12.5mm/s, 25mm/s, 50mm/sBandwidth: Diagnostic: 0.05-130HZ

Monitor: 0.5-40HZ Surgery: 1-20HZ

RESP

Measure Range: 0-150BrM Resolution : 1BrPM Accuracy : ±2%

TEMP

Measure Range: 0-50°c Resolution : 0.1° C Accuracy : ±0.1 C

OPTIONAL

Recorder

Central Monitoring System

2IBP

ETCO2 : ±2%

SPO2

Measure Range: 0-100%

Resolution: 1%

■ Accuracy :±2% (70-100%)
■ Pulse Rate :20-250 BPM
■ Resolution :1 BPM

Resolution :1BPM
 Accuracy :3BPM

NBIP

Work Mode : Manual, Automatic Continuous

■ Unit : mmHg,kPa

Measure Range:

Adult: SYS 40-280mmHg DIA: 10-225mmHg

MEAN: 20-240mmHg

Pediatric: SYS 40-220mmHg DIA: 10-160mmHg

MEAN: 20-170mmHg

Neonatal: SYS 40-135mmHg DIA: 10-100mmHg

MEAN: 20-110mmHg

■ Resolution: 1mmHg ■ Accuracy: ±5mmHg Port Upgrade Via

Network

glamaticpharma.com











